

DUCTWARE PRODUCT REVIEW - FOR GREEN STAR

PRODUCT: 440™ Butyl Gasket

440 Butyl Gasket

Ductmate 440 is a non-skinning, non-drying synthetic polymer based sealing tape.

This product review is current at the time of issue. As Green Star is a constantly evolving and developing rating tool it will remain Ductware's responsibility to ensure that product information relating to Green Star is kept up to date. From time to time the Green Building Council of Australia issue an updated 'Technical Clarifications and CIR Rulings' document that provides clarifications, updates and modifications to the suite of Green Star rating tools. This update by the GBCA takes precedence over all existing printed Green Star rating tools – hence the 'rating tool system' comprises of the relevant Green Star Technical Manual AND the Technical Clarifications and CIR Rulings' document. This document can be found at <http://www.gbca.org.au/green-star/technical-clarifications-cir-rulings/>

GREEN STAR INFORMATION:

APPLICABLE CREDITS	REQUIREMENTS	PRODUCT REVIEW
<p>Contributes to: IEQ-8 Volatile Organic Compounds Applies to all Green Star rating tools.</p>	<p>Adhesives & Sealants; 95% of all adhesives & sealants must meet the TVOC Content Limits outlined in Table IEQ-13.2. (refer attached)</p> <p>In accordance with IEQ-8 TC No.13 tapes can be excluded from all VOC calculations.</p>	<p>440 Butyl Gasket: does not need to comply with Green Star.</p>



Prepared by: Synergy Green Pty Ltd

Date: October 2009



Ductware®

PO Box 605, Sunshine VIC 3020 6-10 Market Road, Sunshine, VIC 3020, Australia

Phone +61 3 9300 5199 Fax +61 3 9311 7985 ductware.com.au

GREEN STAR INFORMATION:

APPLICABLE CREDITS	REQUIREMENTS	PRODUCT REVIEW
<p>Contributes to: Emi-4 Insulant ODP Applies to all Green Star rating tools.</p>	<p>ODP (Ozone Depleting Potential); All thermal insulants avoid the use of ozone-depleting substances in both manufacture and composition.</p>	<p>440 Butyl Gasket: does not need to comply with Green Star.</p>
<p>Contributes to: Ene-1 Greenhouse Gas Emissions Applies to all Green Star rating tools.</p>	<p>Reduce predicted Greenhouse Gas emissions of the building</p>	<p>Contributory: Whilst a small component, air tightness/leakages or pressure drops in ductwork impacts on the energy required to move air around, which in turn impacts on the Ene-1 score. Ene-1 is a major consideration and focus in all Green Star projects.</p>



Prepared by: Synergy Green Pty Ltd

Date: October 2009



Ductware®

PO Box 605, Sunshine VIC 3020 6-10 Market Road, Sunshine, VIC 3020, Australia

Phone +61 3 9300 5199 Fax +61 3 9311 7985 ductware.com.au